

**Tabelle A.4:** 6-Punkte-Braillezeichen, angeordnet entsprechend der Unicode-Numerierung – **u280...0–u28...3** (Unicode-Nummer, Braillezeichen und ASCII-Braille-Zeichen)

u28...0 – u28...3	280...	281...	282...	283...
...0	u2800	u2810	u2820	u2830
[Leer]	!	'	<	
...1	u2801	u2811	u2821	u2831
A	E	1	5	
...2	u2802	u2812	u2822	u2832
,	:	?	/	
...3	u2803	u2813	u2823	u2833
B	H	2	8	





















**Tabelle A.4:** 6-Punkte-Braillezeichen entspr. der entsprechend der Unicode-Numerierung – **u280...4–u28...7** (Unicode-Nummer, Braillezeichen und ASCII-Braille-Zeichen)

u28...4 – u28...7	280...	281...	282...	283...
...4	u2804	u2814	u2824	u2834
	.	*	-	)
...5	u2805	u2815	u2825	u2835
	K	O	U	Z
...6	u2806	u2816	u2826	u2836
	;	+	(	=
...7	u2807	u2817	u2827	u2837
	L	R	V	[

**Tabelle A.4:** 6-Punkte-Braillezeichen entspr. der  
entsprechend der Unicode-Numerierung – **u280...8–u28...b**  
(Unicode-Nummer, Braillezeichen und ASCII-Braille-Zeichen)

u28...8 – u28...B	280...	281...	282...	283...
...8	u2808	u2818	u2828	u2838
	"	>	\$	_
...9	u2809	u2819	u2829	u2839
	C	D	3	4
...A	u280A	u281A	u282A	u283A
	I	J	9	W
...B	u280B	u281B	u282B	u283B
	F	G	6	7

**Tabelle A.4:** 6-Punkte-Braillezeichen entspr. der  
 entsprechend der Unicode-Numerierung – **u280...c–u28...f**  
 (Unicode-Nummer, Braillezeichen und ASCII-Braille-Zeichen)

u28...c – u28...f	280...	281...	282...	283...
...C 	u280C  \ \	u281C  @ @	u282C  0 0	u283C  # #
...D 	u280D  M M	u281D  N N	u282D  X X	u283D  Y Y
...E 	u280E  S S	u281E  T T	u282E  ^ ^	u283E  ] ]
...F 	u280F  P P	u281F  Q Q	u282F  & &	u283F  % %